



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

While I have received no official notice from the State board of health of Florida of their extension of the close quarantine season, I have worked on that line and will continue to do so until I have received notice of their abandonment of the summer regulations.

Very respectfully,

W. F. BRUNNER,

Sanitary Inspector, U. S. M. H. S.

The SUPERVISING SURGEON-GENERAL,

U. S. Marine-Hospital Service.

Mortality of the city of Habana and the town of Regla for the week ending Thursday, November 18, 1897.

	Habana.	Regla.	Total.
Yellow fever.....	11	13	24
Typhoid fever.....	28	2	30
Pernicious fever.....	15	2	17
Malarial fever.....	29	3	32
Smallpox.....	2	2
Beriberi.....	1	1
Caquexia paludica.....	31	5	36
Enteritis.....	91	14	105
Dysentery.....	43	22	65
Diarrhea.....	8	6	14
Diphtheria.....	1	1
Pneumonia.....	12	4	16
Tuberculosis.....	62	3	65
Starvation.....	6	6
Total deaths.....	522	87	609
Annual ratio per 1,000.....	158.30

JAPAN.

Sanitary report from Yokohama.

YOKOHAMA, October 29, 1897.

SIR: I have the honor to forward, herewith, my regular report of infectious diseases in Japan, for period October 11 to October 28, 1897.

I am, sir, very respectfully, your obedient servant,

STUART ELDRIDGE, M. D.,

Sanitary Inspector, U. S. M. H. S.

The SUPERVISING SURGEON-GENERAL,

U. S. Marine-Hospital Service.

[Inclosure.]

Report of infectious diseases in Japan, October 11 to October 28, 1897.

Locality.	Cholera.		Dysentery.		Smallpox.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Kioto Fu.....	102	37
Osaka Fu.....	37	14
Tokyo Fu.....	309	85	1
Aichi Ken.....	234	57	3	2
Akita Ken.....	6	3
Awomori Ken.....	331	32
Chiba Ken.....	203	70
Fukui Ken.....	64	30	1
Fukuoka Ken.....	25	6
Fukushima Ken.....	80	15
Gifu Ken.....	230	94
Gumma Ken.....	206	78
Hiogo Ken.....	269	63
Hiroshima Ken.....	213	61

Report of infectious disease in Japan, October 11 to October 28, 1897—Continued.

Locality	Cholera.		Dysentery.		Smallpox.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Ibaraki Ken.....			27	16		
Ishikawa Ken.....			64	32		
Iwate Ken.....			230	47		
Kagawa Ken.....			111	49		
Kagoshima Ken.....			116	29		
Kanagawa Ken.....			420	170	1	
Kochi Ken.....			54	16		
Kumamoto Ken.....	(a)					
Miyagi Ken.....			273	69		
Miyazaki Ken.....			37	10		
Miye Ken.....	(a)					
Nagano Ken.....			684	195		
Nagasaki Ken.....			57	12		
Nara Ken.....	(a)					
Niigata Ken.....			3567	770		
Oita Ken.....			95	21		
Okayama Ken.....			343	113		
Okinawa Ken.....	(a)					
Saga Ken.....			20	2		
Saitama Ken.....			148	146		
Shidzuoka Ken.....			787	267		
Shiga Ken.....			107	35		
Shimane Ken.....			144	44		
Tochigi Ken.....			47	13		
Tokushima Ken.....			63	31		
Tottori Ken.....			89	22		
Toyama Ken.....			8	7		
Wakayama Ken.....			27	8		
Yamagata Ken.....			57	14		
Yamaguchi Ken.....			245	73		
Yamanashi Ken.....			548	192		
Yehime Ken.....			215	76		
The Hokkaido.....			1		23	4
Taiwan (Formosa).....	(a)					
Total.....			11,123	3,124	29	6

a No report.

UNITED STATES OF COLOMBIA.

No yellow fever in Panama.

PANAMA, November 13, 1897.

SIR: This city is entirely clear of yellow fever, and is in a good, healthy condition.

H. A. GUDGER,
United States Consul.

Hon. SECRETARY OF THE TREASURY.

STATISTICAL REPORTS.

ARABIA—*Aden*.—Two weeks ended October 2, 1897. Estimated population, 38,584. Total deaths not reported. The deaths included 13 from smallpox.

AUSTRALIA—*Brisbane*.—Month of July, 1897. Estimated population, 100,913. Total deaths, 58, including enteric fever, 1, and scarlet fever, 1.

Month of August, 1897. Total deaths, 63, including enteric fever, 3; dengue fever, 1, and diphtheria, 1.

New South Wales—Newcastle.—Two months ended September 30, 1897. Estimated population, 15,331. Total deaths, 38. Causes of deaths not reported.